



# Erratum: Definitions of Severity in Treatment Seeking Studies of Febrile Illness in Children in Low and Middle Income Countries: A Scoping Review

Swiss School of Public Health Production Office\*

Frontiers Media SA, Lausanne, Switzerland

Keywords: fever, severity, child, developing countries, treatment seeking, health behavior

### An Erratum on

# Definitions of Severity in Treatment Seeking Studies of Febrile Illness in Children in Low and Middle Income Countries: A Scoping Review

by Brunner, N. C., Awor, P., and Hetzel, M. W. (2021). Int J Public Health 66:634000. doi: 10.3389/ ijph.2021.634000

Due to a production error, all citations in the text between references 17 and 61 were incorrect. In the **Introduction**, the second citation of reference 17 was incorrectly written as reference 18, thereby shifting all subsequent references by one place.

# The text in **Paragraph 3** of the **Introduction** has been updated from "The concept of SFI has been referred to by several studies. Even though Roddy et al. [17] describe SFI as "a commonly documented and globally recognized cause of morbidity and mortality," definitions of SFI in the scientific literature vary. While some authors have focused on clinical diagnosis [13, 18] or causal agents [16], others defined SFI as fever with danger signs according to the Integrated Management of Childhood Illness (IMCI) guidelines [19]. Health behavior theories have also pointed out the importance of perceived severity for health-related behavior such as treatment seeking [20-22]." to "The concept of SFI has been referred to by several studies. Even though Roddy et al. [17] describe SFI as "a commonly documented and globally recognized cause of morbidity and mortality," definitions of SFI in the scientific literature vary. While some authors have focused on clinical diagnosis [13, 17] or causal agents [16], others defined SFI as fever with danger signs according to the Integrated Management of Childhood Illness (IMCI) guidelines (IMCI) guidelines [18]. Health behavior theories have focused on clinical diagnosis [13, 17] or causal agents [16], others defined SFI as fever with danger signs according to the Integrated Management of Childhood Illness (IMCI) guidelines [18]. Health behavior theories have also pointed out the importance of perceived severity for health-related behavior such as treatment seeking [19-21]."

All subsequent citations have updated to account for this shift.

The publisher apologizes for this mistake. The original version of this article has been updated.

Copyright © 2021 Swiss School of Public Health Production Office. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# OPEN ACCESS

### Approved by:

Swiss School of Public Health Editorial Office, Frontiers Media SA, Switzerland

# \*Correspondence:

Swiss School of Public Health Production Office production@ssph-journal.org

Received: 08 October 2021 Accepted: 08 October 2021 Published: 16 December 2021

# Citation:

Swiss School of Public Health Production Office (2021) Erratum: Definitions of Severity in Treatment Seeking Studies of Febrile Illness in Children in Low and Middle Income Countries: A Scoping Review. Int J Public Health 66:1604518. doi: 10.3389/ijph.2021.1604518

1